



**AX BMC (SCALE 1:2)**

**DESIGN HORIZONTAL LIVE LOAD = 0.75 kN/m**  
**APPLICABLE FOR WIND REGIONS A & B TO AS.1170 , TERRAIN CATEGORY 2.**  
**REGION A MAXIMUM BUILDING HEIGHT 50 m**  
**REGION B MAXIMUM BUILDING HEIGHT 10 m**

**NOTE : ADDITIONAL REQUIREMENTS FOR SAFETY GLASS ARE REQUIRED WHERE BALUSTRADE IS MORE THAN 5 metres ABOVE FLOOR / GROUND. REFER AS. 1288 / AMDT 2 / 2011-11-11, CLAUSE 3.8**

**TIMBER EDGE BEAM. ( F17 KDHW MIN. )**  
**NOTE : TIMBER BEAM TO BE VERIFIED ON SITE BY BUILDING ENGINEER AS STRUCTURALLY SUFFICIENT TO WITHSTAND BALUSTRADE LOADS.**

B	REFERENCE FOR GLAZING ABOVE 5m AMENDED	24.11.2014
A	ISSUED FOR CONSTRUCTION	09-01-14
REV	COMMENTS	DATE

<b>AXIOM GROUP</b> P.O. BOX 94 , WERRIBEE. VIC. 3030 PH. 1300 652 336    EMAIL. sales@axiomgroup.com.au FAX. 1300 611 789    WEB. axiomgroup.com.au		
DESIGNED	IKF	DATE JAN '14
DRAWN	AB	SCALE 1:2
REF No		ROLL No.

**CLIVE STEEL PARTNERS PTY LTD**  
CONSULTING ENGINEERS - STRUCTURAL & CIVIL



BUILDING 6  
62/195 WELLINGTON ROAD  
CLAYTON, VICTORIA  
AUSTRALIA. 3168  
Telephone (03) 9545 0223  
Facsimile (03) 9545 3022  
Email csp@clivesteel.com.au  
A.C.N. 005 363 735    A.B.N. 92 627 427 761

<b>METROPOLIS ( SIDE MOUNTED ) CANTILEVERED GLASS BALUSTRADE</b>	
<b>TIMBER MOUNT</b>	
DRG. No.	16996 - T - S08
	<b>REV. B</b>